

MATYUSHKINA, N. D.

"On the Peculiar Features of Thermoregulation in the Action of Muscles and the Hardening Training of the Body."

dissertation defended for the degree of Candidate of Biological Sciences at the Inst. for Physiology im O, P. Pavlov.

Defense of Dissertation (Jan-Jul 1957)
Sect. of Biological Sciences
Vest. AN SSSR, 1957, v. 27, No. 12, pp. 118-120

MATTUSHKO, V. (g. Minsk)

Main tasks of White Russian cooperative societies in the seven-year plan. Prom.koop. 13 no.5:5-6 My '59. (MIRA 12:9)

1. Predsedatel' pravleniya Belpromsoвета.
(White Russia--Cooperative societies)

MATYUSHKO, V.

Enthusiasts of technological progress. Mest.prom. i khud.promys.
2 no.12:11-12 D '61. (MIRA 14:12)

1. Zamestitel' ~~zamestitel'~~nika Glavnogo upravleniya mestnoy
promyshlennosti pri Sovete Ministrov BSSR.
(White Russia--Industrial equipment--Technological innovations)

MATYUSHKO, V. A.

AID P - 1847

Subject : USSR/Aeronautics

Card 1/1 Pub. 135 - 8/18

Author : Matyushko, V. ^A
~~S.~~ Lt. Col.

Title : Training in ejection from aircraft

Periodical : Vest. voz. flota, 4. 45-46, Ap 1955

Abstract : The author discusses in detail training in ejection from aircraft, which consists of theoretical training and ground training on special apparatus. He gives practical advice to the training instructor.

Institution : None

Submitted : No date

AID P - 5432

Subject : USSR/Aeronautics - parachutism

Card 1/1 Pub. 135 - 9/31

Author : Matyushko, V. A., Lt. Col.

Title : Parachute jumps in winter

Periodical : Vest. vozd. flota, 1, 44-46, Ja 1957

Abstract : The article describes how the parachute jumps in winter are carried out: preparing for jumps, going aboard the aircraft, leaving the aircraft, descending and landing. The article is of interest.

Institution : None

Submitted : No date

BLOKH, A.Sh.; MATYUSHKOV, L.P.

Reliability of a finite automaton. Vestsi AN BSSR.
Ser.fis.-mat.nav. no.2:25-30 '65. (MIRA 19:1)

L 43077-66 EWT(d)/T LJP(c)

ACC NR: AP6010498

SOURCE CODE: UR/0201/65/000/003/0117/0119

AUTHOR: Matyushkov, L. P.; Rozin, S. G.

43

ORG: none

TITLE: A method for the generation of pseudo-random numbers on the "Minsk-2" computer

SOURCE: AN BSSR. Vestsi. Seryya fizika-tekhnichnykh navuk, no. 3, 1965, 117-119

TOPIC TAGS: Monte Carlo method, computer application, algorithm, computer coding

ABSTRACT: The solution of many scientific and engineering problems is carried out by the Monte Carlo statistical method. Such a computer modeling requires the use of random numbers which, if stored within the operative memory would require an additional tens or hundreds of thousands bits. Consequently, use is made of fast random number generators, and in one version of such generators random numbers with a quasi-uniform distribution are produced within the (0,1) interval. Some authors developed algorithms for the generation of such pseudorandom numbers on 43-digit computers, but the present authors were unable to check them on the "Minsk-2" computer because it has only 37 digits. Consequently, they developed a new program described in this paper for the production of pseudorandom numbers on the "Minsk-2" computer and tested it successfully. If n denotes the number of equally dis-

Card 1/2

L 43077-66

ACC NR: AP6010498

- tributed numbers entering into the production of a single random number, the new algorithm supplies good results already with $n = 4$. An excellent agreement with theoretical data was found with $n = 8$ (mathematical expectation found = 0.003798 versus the theoretical value of zero; dispersion = 0.9962889 versus the theoretical value of one). Orig. art. has: 2 formulas, 1 figure, and 1 table.

SUB CODE: 09,12/ SUBM DATE: 00/ ORIG. REF: 004/ OTH REF: 000

Card 2/2 hs

MATYUSHKOV, N. I.

Chernoyarsk Machine and Stock-breeding Station.
59 p. (Peredovoi opyt v sel'skom khoziaistve)

Moskva, Gos. izd-vo selkhoz. lit-ry, 1953.

S/020/62/146/001/002/016
B112/B108

AUTHOR: Matyushkov, V. V.

TITLE: Vertex function of oriented graphs

PERIODICAL: Akademiya nauk SSSR. Doklady, v. 146, no. 1, 1962, 37 - 40

TEXT: A function $\Phi(L) = p\Phi(L_p) + s\Phi(L_s) + t\Phi(L_t) + q\Phi(L_q) + r\Phi(L_r) + 1$, $\Phi(E_0) = 0$ is considered, where L_p, L_s, L_t, L_q, L_r are subgraphs of an oriented graph L , which correspond to the generating elements p, s, t, q, r of a ring K from which the function Φ takes its values. The following conditions are shown to be necessary for the uniqueness of $\Phi(L)$:

$$\begin{aligned} p &= s, & q(p + t - 1) &= 0, \\ (1 - r)p &= (1 - r)q = (1 - r)t, & q(t + r - 1) &= 0, \\ p(p + r - 1) &= 0, & t(p + r - 1) &= 0, \\ p(q + r - 1) &= 0, & t(q + r - 1) &= 0, \\ p(t + r - 1) &= 0, & & \end{aligned}$$

Moreover, these conditions are sufficient for the independence of $\Phi(L)$ of the vertex ordering. In order to see which properties of the graph L are

Card 1/3

S/020/62/146/001/002/016
B112/B108

Vertex function of oriented graphs

described by the vertex function Φ , the following representation is derived:

$$\Phi(L) = [f_p(r) + d_1(L_p) + d_1(L_s)](p + r - 1) +$$

$$[F_q(q) + f_q(r) + d_1(L_q)](q + r - 1) +$$

$$[F_t(t) + f_t(r) + d_1(L_t)](t + r - 1) + d_1(L),$$
 where $d_1(L)$ is the number of vertices of L , and where the functions f_p, f_q, f_t, F_q, F_t are expressed by 0- and 2-complete difference polynomials. The resulting expression for the vertex function is

$$\Phi(L) = \bar{d}_2 q + \bar{d}_3 q^2 + \dots + d_2 t + d_3 t^2 + \dots$$

$$\dots + [n - 1 - \bar{d}_2 - d_2 + (n - 2)r + (n - 3)r^2 + \dots + r^{n-2}]p +$$

$$+ r + r^2 + \dots + r^{n-1} + 1. \quad (1.4)$$

The functions $\bar{d}_i(L)$ are the numbers of internally stable i -vertex subsets of L , the functions $d_i(L)$ have the same meaning for the graph supplementary to L . There are 2 figures.

Card 2/3

S/020/62/146/001/002/016
B112/B108

Vertex function of oriented graphs

ASSOCIATION: Novosibirskiy institut inzhenerov zheleznodorozhnogo
transporta (Novosibirsk Institute of Railroad Transportation
Engineers)

PRESENTED: April 2, 1962, by S. L. Sobolev, Academician

SUBMITTED: March 27, 1962

Card 3/3

NIKITINA, Z.I.; MATYUSHKOVA, A.S.

Presence of phosphoric acid microorganisms in podzolized
brown forest soils of the Maritime Territory. Izob. LVFAN
SSSR no.19:91-96 '63. (MIRA 17:9)

1. Biologo-pochvennyy institut otdel'eniya Chernogo Morskogo
Sibirskogo otdeleniya AN SSSR i Inzh. tekhnologicheskoy gosudarstvennoy
universitet.

MATYUSHONOK, M.T. (Moskva)

Prevention of flatfoot in children of preschool age in the nursery.
Fel'd i akush. 25 no. 10:35-41 0 '60. (MIRA 13:10)
(FOOT--DISEASES)

VETROVA, G.A.; MATYUSHOV, S.P.; OREL, N.I.; SHEREMET, A.G.

Coagulation of aqueous solutions of potassium silicate in the
presence of aluminate. Dokl. LFI 5 no. 1/2:141-143 '63.
(MIRA 17:6)

BASOVA,, N.V.; MATYUSHOVA, Yu.I., nachal'nik otdeleniya; ARKHANGEL'SKIY, P.F.,
professor, ~~Konsultant~~; RABKIN, Ye.B.

Critical remarks on the examination of color sense with the aid of E.B.
Rabkin's tables. Vest.oft. 32 no.5:47 S-0 '53. (MLRA 6:10)

1. Tashlentskaya dorozhnaya ob"edinennaya bol'nitsa (for Basova, Matyshova
and Arkhangel'skiy). (Color sense) (Rabkin, E.B.)

VALUYEV, V.V.; MAKSUTOV, R.N.; MATYUTO, N.A.; YAKERSON, S.A.;
CHICHEVA, L.I., red.; OKOLELOVA, Z.P., tekhn.red.

[Mechanization of the preparation and placement in soil
of peat fertilizers] Mekhanizatsiia **zagotovki** i vneseniia
v pochvu torfianykh udobrenii. Moskva, Sel'khozizdat,
1963. 101 p. (MIRA 17:1)

MATYYA, G. L.

Dissertation: "The Effect of Vanadium, Titanium, and Molybdenum on the Kinetics of Isothermal Transformation of Austenite in Certain Types of Chrome-Nickel and Chromium Steel." Cand Tech Sci, Moscow Inst of Steel, Moscow, 1953. (Referativnyi Zhurnal-- Khimiya, Moscow, No 4, Feb 54)

SO: SUM 243, 19 Oct 1954

MATYS,Z.; GREGOROVA,I.; KANDRAC,M.; CHARVAT,J.

Differential diagnosis of hirsutism. Acta Univ. Carol. [med.]
(Praha) 10:suppl. 17:160-166 '63

1. III. interni klinika fakulty vseobecneho lekarstvi Karlovy
university v Praze; Laborator pro endokrinologii a metabolis-
mus: prednosta: akademik J.Charvat.

MATYUSHCHENKO, D.D.

Automatic knockout for friction presses. Mashinostroitel' no.3:
6 Mr '64. (MIRA 17:4)

MATYZHEV, V. I.: Master Vet Sci (diss) -- "The susceptibility of geese to tuberculosis, and methods of diagnosis". Orenburg, 1958. 16 pp (Min Agric USSR, Kirgiz Agric Inst), 300 copies (KL, No 6, 1959, 140)

RUKASOV, Yu., starshina 2 stat'i; TISHIN, N., starshiy serzhant; MARKOV,
I., starshina sverkhstrochnoy sluzhby; KRYUCHENKO, V., Geroy
Sovetskogo Soyuza, starshina sverkhstrochnoy sluzhby; MATYZLEVSKIY,
S., mladshiy serzhant; DAVRANOV, R., komendor matros

On land and in outer space. Starsh.-serzh. no.9:2-3 S '62.
(MIRA 15:11)
(Astronautics)

SHATSOV, N.I.; MATZ, B.A.; OGOLIKHIN, E.A.

Bit performance and drilling tests carried out in No.28 in the
Ilishevo field. Trudy MINKHIGP no.35:23-30 '61. (MIRA 14:11)
(Ilishevo region--Oil well drilling)

SZEREDAY, Zoltan; ~~Dr. J. MATE~~, Laszlo, dr.

Sterility and asymptomatic tuberculous endometritis. Magyar. noorv. lap.
no.5:269-272 S '61.

1. A Pecszi Orvostudományi Egyetem Szülészeti és Nőgyógyászati Klinikájának közleménye (igazgató: Lajos Laszlo dr. egyetemi tanár).

(STERILITY, FEMALE etiol)

(TUBERCULOSIS, FEMALE GENITAL compl)

SZEREDAY, Zoltan; TOTH, Kalman; MATZ, Laszlo

Examination of the acetylcholine content of the placenta. Magy. noorv.
lap. 25 no.5:317-320 S '62.

1. Pécsi Orvostudományi Egyetem Szülészeti és Nőgyógyászati Klinika-
jának közleménye (Igazgató: Lajos Laszlo dr. egy. tanár).
(PLACENTA) (ACETYLCHOLINE) (PREGNANCY)

GATI, Istvan; NAGY, Dezso; DOMANY, Sandor; MATZ, Laszlo

Statistical data on the problem of Sheehan's syndrome. Magy. noorv.
lap. 26 no.2:65-71 Mr '63.

1. A Pecszi Orvostudományi Egyetem Szülészeti és Nőgyógyászati Kliniká-
jának közleménye (Igazgató: Lajos Laszlo dr., egyetemi tanár).
(SIMMONDS' DISEASE) (HYPOPITUITARISM) (STATISTICS)
(CORTISONE) (DYSTOCIA) (HEMORRHAGE, POSTPARTUM)

MATZ, Laszlo, dr.; DOBZSEVICS, Sandor, dr.

A pessary in the vagina for 20 years, causing cancer. Mag. orvos.
lap. 26 no.3:191-192 My '63.

1. Varosi Tanacs Korbaza Nagykanizsa (Igazgato: Fendler Karoly dr.)
Szulo-Negyogyaszati Osztaly (Foorvos: Gedeon Gyula dr.).
(VAGINAL NEOPLASMS) (PESSARIES) (UTERINE PROLAPSE)

MATZ, Laszlo, dr.; DOBZSEVICS, Sandor, dr.

Cyst originating from the urothele germ. Magy.noorv.lap. 26 no.4:
238-239 JI '63.

1. A Nagykanizsai Varosi Tanacs Korhaz (igazgato: Fendler Karoly dr.)
nőgyógyászati osztalyanak (főorvos: Gedeon Gyula dr.) közleménye.

*

GATI, Istvan, dr.; KELLER, Gabor, dr.; MATZ, Laszlo, dr.; KOBOR, Jozsef, dr.

Concervative treatment and prevention of puerperal mastitis.
Orv. hetil. 105. no.28:1315-1318 12 JI'64

1. Pecsí Orvostudományi Egyetem, Szülészeti és Nőgyógyászati
Klinika.

MATZKE, W.

Gospodarka Zbozowa - Vol. 6, no. 4, Apr. 1955.
For expansion of the activities of trade-unions. p. 1.

The fight against pests must be systematic and universal. p. 26.

Technical progress depends upon the development of the rationalizer's movement. p. 27.

SO: Monthly list of East European Accessions, (EEAL), LC, Vol. 4, No. 9, Sept. 1955
Uncl.

MATZKE W.
CATEGORY :
ABST. JOUR. : RZKham., No. 20 1959, No. 72434
AUTHOR : Matzke, W.
INST. :
TITLE : Modern Methods and Agents for Pest Control
ORIG. PUB. : Inzegl. zbez.-mlynarski, 1958, 2, No 10-11,
302-304
ABSTRACT : Description of methods of application of
fumigants: phostoxin (a preparation emitting phosphine),
tsiolon, and CH_3Br .

CARD:

54

POLAND/Chemical Technology. Chemical Products
and Their Applications. Food Industry.

H

Abs Jour : Ref Zhur-Khimiya, No 6, 1958, 21455

Author : Matzke, Wincenty

Inst :

Title : Disinfestation of Food Products.

Orig Pub : Przegl. zboz.-mlynarski, 1958, 2, No 6,
176-180

Abstract : No abstract.

Card : 1/1

MATZKE, W.

Disinfection of grain with Fostoxin. p. 77

PRZEGŁAD ZBOZOWO-MLYNARSKI (Polskie Wydawnictwo Gospodarcze) Warszawa, Poland.
Vol. 3, no. 3, Mar 1959

Monthly List of East European Accessions (EEAI) LC, Vol. 8, no. 9, September 1959.
Uncl.

~~MATZKE, Wladyslaw, Dr. inz.~~

Analysis of the mutual dependence of the loads and the stresses in the heads of crank systems. Techn motor 11 no.9:319-325 S '61.

MATZKE, Wladyslaw, dr., inz.

The problem of correct shaping of a high speed engine connecting
rod. Pt. 1. Przegl mech 20 no.21:641-646 '61.

1. Politechnika Warszawska.

(Diesel engine) (Rods)

MATZKE, Wladyslaw, dr., inz.

The problem of correct shaping of a high speed engine connecting
rod. Pt. 2. Przegl mech 20 no.22:669-673 '61.

1. Politechnika Warszawska.

(Diesel engine) (Rods)

MATZKE, Wladyslaw, dr inz.

Influence of the shape of the fins on the heat discharge of
the heads of air-cooled motors. Techn motor 12 no. 2: 37-
48 F '62.

MATZKE, Wladyslaw, dr inz.; WILCZYNSKI, Andrzej, dr inz.

Property analysis of torsional vibration damper with rubber
ring insert. Techn mot. 13 no. 4: 135-138 Ap '63.

MATZKE, Wladyslaw, dr inz.

Deliberations connected with computing cylindrical valve
springs of high-speed combustion engines. Techn motor 13
no.9:286-292 S'63.

MATZKE, Wladyslaw, dr inz.

Selection of value for high-speed combustion engines.
Techn motor 14 no. 6:168-172,173 Je '64.

MATZKE, Wladyslaw, doc. hab.

Load analysis of piston pins of medium and high-speed engines.
Techn motor 15 no.2:56-62 F '65.

MATZKER, Joseph, dr.

Histopathological research in Meniere's disease. Ful-orr-gegyogy 7
no.2:67-72 Je '61.

1. A mainzi Ful-orr-gege-klinika kozlemenye (Igazgato: Prof. Dr. H.
Leicher)

(MENIERE'S DISEASE pathol)

I 31032-66

ACC NR: AP6022933

SOURCE CODE: CZ/0024/66/000/001/0020/0020

AUTHOR: Matakeova, M. (Engineer)

ORG: UGK, Brno

41
8

TITLE: Adaptation of stereomicroscopes for measurements of shrinkages of diapositives

SOURCE: Geodeticky a kartograficky obzor, no. 1, 1966, 20

TOPIC TAGS: photogrammetry, stereoscope, camera, map, optic glass, photographic film

ABSTRACT: A problem in the exact evaluation of photogrammetric methods used in the preparation of maps is the determination of the shrinkages of diapositives. Usually an accuracy of only ± 0.5 mm can be achieved. The use of a mirror stereoscope stereomicroscope is suggested; this can be read with an accuracy of 0.01 mm. For the adaptation the flat glasses are replaced by L shaped ones that have been provided with 2 sets of marks; one for Wilde's cameras and one for Zeiss cameras. The stereomicroscope is adjusted to a position suitable for the thickness of the glass diapositive; the actual measurements are made using magnifying glasses with 12.5 x enlargement. Orig. art. has: 1 figure. [JPRS]

SUB CODE: 08, 14 / SUBM DATE: none

Card 1/1 2C

MATZKO, S.N.; GORBOUNOVA, V.I.; ANISOVA, A.A.; JMEIDO, A.T.; GALKINA, A.F.

Criteria of vitamin C supply of the body. (Results of observations carried out on animals). J. hyg. epidem. 6 no.4:399-406 '62.

1. L'Institut de Vitaminologie du Ministere de la Sante de l'URSS,
Moscou.

(ASCORBIC ACID)

MATZNER, J.

"National conference on automation."

JADENA ENERGIE, Praha, Czechoslovakia, Vol. 5, No. 6, June 1959.

Monthly List of East European Accessions (EEAI,) LC, Vol. 8, No. 9, September 1959.

Unclassified.

MATZNER, O.

Matzner, O.

Matzner, O. The all-union industrial exposition in Moscow 1956. p. 601.

Vol. 17, no. 11, Nov. 1956

SLABOPROUDY OBZOR

TECHNOLOGY

Czechoslovakia

So. East European Accessions, Vol. 6, May 1957
No. 5

MATZNER, O.

Electronic analogue calculating devices.

P. 196, (Sdelovaci Technika) Vol. 5, no. 7, July 1957, Praha, Czechoslovakia

SO: Monthly Index of East European Acessions (EEAI) Vol. 6, No. 11 November 1957

Matzner, O.

Annual meeting of the Prague branch of the Scientific Technical Society for Electrical Engineering. Supplement p. 127

(Slaboproudý Obzor. Vol. 18, no. 5, May 1957. Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, n. 10, October 1957. Uncl.

MATZNER, O.

Notes from the Bratislava conference of workers of the Ministry of Precise Engineering on labor productivity .

P. 413. (Slaboproudý Obzor. Vo. 18, no. 7, July 1957, Praha, Czechoslovakia)

Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 2,
February 1958

MATZNER, O.

Current problems of automation. p. 665

SLABOPROUDY OBZOR. (Ministerstvo presneho strojirenstva, Ministerstvo
spoju a Vedecka technicka spolecnost pro elektrotechniku pri CSAV)
Praha, Czechoslovakia, Vol. 20, no. 11, Nov. 1959

Monthly List of East European Accessions (EEAI) LC, Vol. 9, no. 1,
Jan. 1960

Uncl.

MATZNER, Oldrich, inz.

The 1st National Congress of the Czechoslovak Technical
Scientific Society. Slaboprudy obzor 22 no.10:577-578
0 '61.

1. Predseda Mestske sekce elektrotechnicke Ceskoslovenske
vedecko-technicke spolecnosti, Praha.

HALEK, Antonin; MATZNER, Oldrich, inz.

Preparing a national discussion of automation prior to the
12th Congress of the Communist Party of Czechoslovakia.
Automatizace 5 no.7:181-182 J1 '62.

1. Predseda Komise automatizace Ustredni rady Ceskoslovenske
vedecko-technicke spolecnosti (for Halek). 2. Predseda prazske
elektrotechnicke sekce Ceskoslovenske vedecko-technicke
spolecnosti (for Matzner).

MATZNER, Oldrich, ins.

International conference on measurement techniques and
measuring instruments in Budapest. Automatizace 5 no.7:
206 J1 '62.

MATZNER, O., inz.

"Principles of automatic digital computers" by P.Naslin. Re-
viewed by O. Matzner. Automatizace 7 no.2: Supplement: Technicka
literatura: insert F'64

MAU, P., inzh.

Triple screw conveyer for loading bran. Muk.-elev. prom. 28
no.2:26-27 F '62. (MIRA 15:3)

1. Moskovskiy mel'nichnyy kombinat No.4.
(Conveying machinery)

MAU, P.; NOVITSKIY, O.

Bulk release of flour at the Moscow Milling Combine No. 4.
Muk.-elev. prom. 29 no.7:9-10 J1 '63. (MIRA 17:1)

1. Zamestitel' glavnogo mekhanika Moskovskogo mel'nichnogo
kombinata No.4 (for Mau). 2. Zamestitel' glavnogo energetika
Moskovskogo mel'nichnogo kombinata No.4 (for Novitskiy).

JEDLINSKI, Zbigniew; MAUBERG, Wacław

A method of determining the water content in polymer coatings
by measurements of the dielectric constant. Chem anal 7
no.4:839-846 '62.

1. Department of Technology of Organic Protection Coatings,
Polytechnic, Gliwice, and Institute of Paints and Lacquers,
Gliwice.

JEDLINSKI, Zbigniew; HIPPE, Zdzislaw; MAUBERG, Wacław

Photometric method of quantitative evaluation of surface corrosion of metals. Przem chem 41 no.2:64-66 F '62.

1. Katedra Technologii Organicznych powlok Ochronnych, Politechnika Slaska, Gliwice.

HIPPE, Zdzislaw; MAUREG, Wacław

The influence of ionization radiation upon the anticorrosive
effect of dibenzene sulphoxide in organic coatings.
Przem chem 41 no.4:198-199 Ap '62.

1. Instytut Farb i Lakierow, Gliwice.

HIPPE, Zdzislaw; MAUBERG, Wacław

Studies on the kinetics of the reaction of alcoholysis
of linseed oil with glycerin. Przem chem 42 no.6:309-311
Je '63.

1. Instytut Farb i Lakierow, Gliwice.

HIPPE, Zdzislaw; MAUBERG, Wacław

Experiments in quantitative evaluation of the microporosity of
certain film-forming polymers. Przem chem 42 no.6:311-313
Je '63.

MAUBEYEVA, G.Yu., metodist po lechenyoy fizkul'ture

New methods for treating the sequelae of poliomyelitis in children.
Zdrav. Kazakh. 21 no.10:51-53 '61. (MIRA 15:2)

1. Bol'nitsa "Aksay". (POLIOMYELITIS)

MAUCH, A., Dr. (Bucuresti)

Crossbreeding methods used in aviculture with a view to increase the
egg and meat production. Natura Biologie 14 no.3:34-38 My-Je '62.

ROMANIA

MAUCH, A., *Dr.*, of the Zootechnical Research Institute (Institutul de Cercetari Zootehnice).

"The Use of Industrial Cross-Breedings in Aviculture for Raising of Eggs and Meat Production."

Bucharest, Revista de Zootehnie si Medicina Veterinara, Vol. 13, No 1, Jan 1963, pp 47-49.

Abstract: Outlines a number of simple, alternating and cross-breeding methods used to increase egg and meat production. Experiments were performed with Leghorn roosters crossed with either Rhode Island or Sussex hens, the dominant species in the agricultural stock of Romania. The author concludes that for industrial cross-breeding the higher productive value of the offspring depends on the varieties and the methods used in breeding as well as on the higher biological value of the family lines or even individuals used.

1/1

ROMANIA

ROMANIA

Dr A. MAUCH, [same affiliation as above]

"Biological Bases of Chicken Breeding."

Bucharest, Revista de Zootehnie si Medicina Veterinara, Vol 13, No 4,
Apr 63; pp 31-37.

Abstract: A review of chicken breeding stressing particularly the
ability of thermoregulatory mechanisms following hatching; humidity,
light, ventilation, feed and nutritional needs and their optimal
fulfilment are outlined in detail. Table; 3 Soviet, 2 Rumanian and
2 German references. In Rumanian which listed 11 references.
The favorable conditions existing in Rumania for the raising
of high-grade stock are emphasized.

1/1

25

ROMANIA

NAUCH, A., Dr. of ICZ [Institutul de Cercetari Zootehnice;
Zootechnical Research Institute]

"Genetic Principles and Selection System in Poultry Breeding."

Bucharest, Revista de Zootehnie si Medicina Veterinara, Vol 16,
No 9, Sep 66, pp 37-44.

Abstract: A survey covering the methods of poultry raising, the biologic and genetic characteristics involved in a selection system leading to the development of valuable hybrids, and the principal selection methods currently being used. The three methods described in some detail are the method of selection according to external characteristics, the method of individual selection, and the method of nuclear selection which concentrates on the males.

1/1

MAUCHA, Laszlo.

"The world of caves" by Hubert Kessler. Reviewed by Laszlo Maucha. Hidrologiai kozlony 38 no.2:122 Ap'58.

1ST AND 2ND LETTERS																										PROCESSES AND PROPERTIES INDEX																									
GENERAL ELEMENTS																										METALLURGICAL LITERATURE CLASSIFICATION																									
MATERIALS INDEX																										EQUIPMENT																									
A																										1																									
B																										2																									
C																										3																									
D																										4																									
E																										5																									
F																										6																									
G																										7																									
H																										8																									
I																										9																									
J																										10																									
K																										11																									
L																										12																									
M																										13																									
N																										14																									
O																										15																									
P																										16																									
Q																										17																									
R																										18																									
S																										19																									
T																										20																									
U																										21																									
V																										22																									
W																										23																									
X																										24																									
Y																										25																									
Z																										26																									

Graphical demonstration of chemical composition of waters. Rezsó Mészáros. Hidrológiai Közlöny 13, 117-118 (in German 119-120) (1934).—A polygon of 16 angles of an area of 280 sq. mm. represents in its left part the anions HCO₃, CO₃, SO₄ and Cl and its right part of 100 sq. mm. the cations K, Na, Ca and Mg. The actual content of the water in anion is indicated by a dark coloration so that a content of 25 equiv. % would be indicated by total coloration of a section consisting of 2 sides of the polygon. With values over 25% a triangle reaching out of the polygon is constructed. The sum of the colored area should always remain 280 sq. mm. The compn. of a water in equiv. % is thus indicated by a more or less irregular star-like figure. S. S. de Fina

COMMON ELEMENTS										PROCESSING AND PROPERTY INDEX										1ST AND 2ND SERIES										3RD AND 4TH SERIES									
Determination of protein ammonia in sewage. Lajos Winkler and Heróld Maucha. <i>Köztudományi Közlemények</i>, 38, 267-75(1935). To 10 cc. of sewage add 1 cc. 1:2 NaOH soln. and 1 drop paraffin oil and acetate for 10 min. in the app. of Winkler used for the gravimetric semimicro method. Add 1 cc. dil. H_2SO_4 (1:2), pour into a 200-cc. flask and fill with NH_3-free water. Add 1 drop concd. H_2SO_4 and 0.1 g. NH_3-free K_2SO_4, boil, let stand for 10 min., cool and det. the protein NH_3 by the colorimetric method of Winkler with Nessler reagent (cf. Z. anal. Chem. 41, 200(1902)) and a standard NH_4Cl soln. Expts. with various artificial water samples, sewage samples, org. compds. and dild. human urine proved the availability of the method. S. S. de Finály																																							
ASAC SLA DETALLURGICAL LITERATURE CLASSIFICATION																																							

1										2										3										4										5										6										7										8										9										10										11										12										13										14										15										16										17										18										19										20										21										22										23										24										25										26										27										28										29										30										31										32										33										34										35										36										37										38										39										40										41										42										43										44										45										46										47										48										49										50										51										52										53										54										55										56										57										58										59										60										61										62										63										64										65										66										67										68										69										70										71										72										73										74										75										76										77										78										79										80										81										82										83										84										85										86										87										88										89										90										91										92										93										94										95										96										97										98										99										100									
1ST AND 2ND DEGREES 3RD AND 4TH DEGREES CHARACTERISTICS AND PROPERTIES INDEX																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
ca 14																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
A simple method for the determination of the hydrogen-ion concentration of water in the field. <i>Rezső Maucha, Aikstetgen, Kozlmenyok 42, 21-8(1939).</i>—As a preliminary test, measure 10 cc. 0.1 N Na₂CO₃ into each of 2 test tubes of equal diam. Add 1 drop m-nitrophenol soln. and 10 drops of Na₂CO₃ soln. to the first tube, ten drops of each soln. to the second tube. To prep. the m-nitrophenol soln. dissolve 0.1 g. substance in (10) cc. hot water, boil for 10 min. and make up the cool liquid to (300) cc. Into a third test tube introduce 10 cc. of the water to be examd. and add 20 drops of the indicator soln., mix and compare the colors of the three tubes. If the color of the third tube falls between the colors of the first and second, m-nitrophenol must be used as indicator. If the color is weaker than that of the first tube, p-nitrophenol is to be used. If the color is stronger than that of the second tube, phenolphthalein must be used. To make the actual detn., measure 10 cc. of the water in a test tube, add 20 drops of the proper indicator soln. and mix. Measure 10 cc. into a second tube, add 10 drops of 0.1 N Na₂CO₃ and sufficient indicator to produce the same color. The pH value can be read from a table on the basis of the no. of drops used. The range of p-nitrophenol is pH 5.9 (1 drop) to 7.2 (10 drops), that of m-nitrophenol from 7.0 (1 drop) to 8.3 (10 drops) and that of phenolphthalein (0.1% alc. soln.) from 8.3 (1 drop) to 9.7 (10 drops). If the water is colored or opaque, a Wapole comparator must be used. S. S. de Pinály																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
ASAC SLA METALLURGICAL LITERATURE CLASSIFICATION 82																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
RESEARCH DIVISION SECTION 4 RESEARCH DIVISION SECTION 4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

C.A.

Modern limnology. Reano Mancha. Hidrol. Kozlony
20, 193-200 (1949).—A review with 41 references. 1. P.

14

C.A.

The graphic symbolization of the chemical composition of natural waters. *Rezső Maucha. Hidrol. Közlöny 20, 24 30(1949).*—The method—proposed by Székessy-Kardos (C.A. 43, 9303g) is criticized. Instead of triangular projection a diagonal projection system of graphs is proposed. A circle should be distributed by 3 diagonal lines at 60° angles to each other. One of these lines should carry Na ions from the center upwards and Cl plus CO_3^{--} ions from the center downwards, another line Ca upwards and HCO_3^{--} downwards, whereas the third line should carry Mg and SO_4^{--} ions in an identical manner. Such a method enables the easy location of any natural water. The vectors could be drawn so that their length is proportional to the ionic contents; this makes the comparison of different waters possible.

István Pintér

14

C.A.

The determination of oxygen content of water. *Revisio*
Maucha (Hungary Magyar Helyettesi és Kémiai Vizsgáló
 Intézet, Budapest). *Hydrog. Kémia* 20, 843-4 (1949).
 The modified Winkler-method (cf. *Arch. Hydrobiol.*, 1940).
 a semimicro method, proved to be suitable when testing
 pure natural waters contg. insignificant amts. of org. sub-
 stances, H_2S , polythionic acid, or nitrites which disturb the
 reaction. When, however, natural waters contg. a large
 quantity of reducing substances, or natural waters contg.
 sewage water, or sewage and waste waters are to be in-
 vestigated, a special procedure must be applied, based upon
 the principle proposed first by Brulius (C.I. 11, 1112).
 Fill test tubes (equipped with tight glass stoppers) with the
 water to be investigated, add 0.05 g. solid $NaOH$ and 0.05 g.
 $MnCl_2$, insert the stopper, shake the tube, and let
 stand for 5-10 min. with the stopper closed. Remove the
 stopper, fill the tube with 1.0-1.5 ml. concd. K_2CO_3 soln.
 without stirring up the ppt. developed in the meantime
 insert the stopper again, shake, let stand vertically for a
 few min., remove the stopper and pass through cotton in a
 Winkler-filter, wash the ppt. with 25-30 ml. 3% $KHCO_3$
 soln., pour 3 ml. 5% KI soln. on the ppt., dissolve the ppt.
 with 1-2 ml. of 50% H_2SO_4 , cover the filter with a watch glass
 until gas development ceases, wash with water, and titrate
 the filtrate with 0.005 or 0.002 N $Na_2S_2O_3$ soln. The O_2
 content of the water is calcul. by means of the formula:
 $O_2 = (n \times r \times f \times 0.04 \times 1000) / V$ mg., where n denotes
 the no. of drops of $Na_2S_2O_3$ soln. required, r the vol. of one
 drop in ml., f the factor (titer) of thiosulfate soln., and V the
 vol. of the test tubes used. This formula is valid for 0.005 N
 thiosulfate soln. In case of a 0.002 N soln. the no. 0.04
 should be replaced by 0.016. The method is suitable as
 well for the detn. of the biochem. O_2 demand of sewage
 waters and natural waters contaminated with sewage. 27
 references. István Finály

CA

14

Triangular and diagonal projection of the data of water analysis. Rezo, Haucha. *Hydrog. Közöny* 30, 227-3 (1959). — Both methods give an informative picture on the chem. compn. of waters. The compn. is more easily readable in the triangular projection. The diagonal projection proposed by M. S. is, however, more suitable for giving prompt visual information. Istvan Fiala

MAUCHA, R.

Raymond Rapaics; an obituary. p. 3, (ACTA BIOLOGICA, Budapest, Hungary).
Vol. 5, No. 1/2, 1954.

SO: Monthly List of East European Accessions, (EEAL) LC, Vol. 4, No. 5,
May 1955, Uncl.

MAUCHA, R.

MAUCHA, R. In memory of Jozsef Gelei. In German. p. 127.

Vol. 5, No. 3/4, 1954.

ACTA BIOLOGICA

SCIENCE

Budapest, Germany

So: East European Accession, Vol. 5, No. 5, May 1956

MAUCHA, REZSO

Czechoslovakia/Chemical Technology - Chemical Products and Their Application.
Water Treatment. Sewage Water, I-11

Abst Journal: Referat Zhur - Khimiya, No 19, 1956, 62445

Author: Maucha, Rezso

Institution: None

Title: The Role of Oxygen Formed During Photosynthesis in Spontaneous
Purification of Running Water

Original
Periodical: Uloha asimilacniho kysliku v samocistení toku, Vodní hospodářství,
1955, 5, No 3, 74-78; Czech

Abstract: The author has found that with a content of 10,000 phytoplankton
organisms per one ml under optimal conditions of illumination 22.9 g
O₂ are formed in 24 hours per one m³ of water. This amount of O₂
exceeds on the average by 2.5 times the amount of O₂ intaken from
the atmosphere. Taking into account the process of photosynthesis
an equation has been derived for the permissible discharge of sewage
into streams: $q = Q(2.5 BOD''' - BOD'') : (BOD' - 2.5 BOD''')$, wherein

Card 1/2

Czechoslovakia/Chemical Technology - Chemical Products and Their Application.
Water Treatment. Sewage Water, I-11

Abst Journal: Referat Zhur - Khimiya, No 19, 1956, 62445

Abstract: BOD' is the BOD of sewage, BOD'' the same of river water, BOD''' --
the same for the mixture of river and sewage water, Q and q their
discharge flows. BOD''' can be assumed to be of 5 mg/l

Card 2/2

MAUCHA, R.

Account of my study trip in Czechoslovakia. p.183. HIDROLOGIAI KOZLONY.
HYDROLOGICAL JOURNAL. (Magyar Hidrologiai Tarsasag) Budapest.
Vol. 35, no. 5/6 May/June 1955.

SOURCE: East European Accessions List (EEAL), Vol. 5, No. 2,
February 1956

MAUCHA, R.

MAUCHA, R. In memory of Jozsef Gelei. In German. p.217.

Vol. 5, no. 3/4, 1957.

ACTA BIOLOGICA

SCIENCE

Budapest, Hungary

So: East European Accessions, Vol. 5, no. 5, May 1956

MAUCHA, R.

In memoriam: Eandor Gimesi. In English. p. 129.
(Acta Biologica. Vol. 7, no. 2/3, 1957. Budapest.)

SO: Monthly List of East European Accessions (L.E.A.) LC, Vol. 4, no. 6, June 1967. Uncl.

MAUER, Vladimir; ROBACEK, Jaroslav

Construction of small rapid centrifuge. Cesk. biol. 4 no.2:
116-117 Feb 55.

1. Vojenska lekarska akademie, Hradec Kralove.
(CENTRIFUGATION, apparatus and instruments,
small rapid centrifuge)

L 4004-66 EWT(d)/EWT(1)/EWT(m)/EWP(v)/EWP(k)/EWP(h)/EWP(l) JD
 ACCESSION NR: AP5021426 UR/0286/65/000/015/0129/0129

AUTHORS: Voronin, G. I.; Nikitin, Yu. F.; Kobranov, A. N.; Mauerman, M. Ye. 57
 B

TITLE: A valve for a liquid or gas. Class 47, No. 173556

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 15, 1965, 129

TOPIC TAGS: valve, electromagnetic effect, electromagnetic field

ABSTRACT: This Author Certificate presents an electromagnetically operated valve for a liquid or a gas. The valve contains starting and retaining coils, switches for connecting the coils, a plunger, and a stop (see Fig. 1 on the Enclosure). To improve the efficiency and to lower the operation cost of the valve, the stop is made in the form of a sloping cylinder sealed on the side of the main plunger. This cylinder contains a movable auxiliary plunger pulled to the bottom of the stop by the increasing magnetic force after the main plunger is worn down. The auxiliary plunger is motivated by the switches. Orig. art. has: 1 figure.

ASSOCIATION: Organizatsiya gosudarstvennogo komiteta po aviatsionnoy tekhnike, SSSR (Organization of the State Committee on Aviation Technology, SSSR)

Cord 1/3

UDC: 621.318.3-384

L 4004-66

ACCESSION NR: AP5024426

SUBMITTED: 05Mar64

ENCL: 01

SUB CODE: IE

NO REF SOV: 000

OTHER: 000

Cord 2/3

L 4004-66

ACCESSION NR: AP5024426

ENCLOSURE: 01




Fig. 1. 1- stop; 2- main plunger; 3- auxiliary plunger; 4-6- switches

Comp 3/3

MAUERMAN, O. Ye.
USSR/Medicine - Scarlet fever

FD-2302

Card 1/1 Pub 148 - 3/36

Author : Mauerman, O. Ye.; Bobakova, M. I.; Slutskovskaya, L. S.

Title : ~~Scarlet fever~~ Scarlet fever and the carrying of streptococci

Periodical : Zhur. mikro. epid. i immun. No 2, 13-16, Feb 1955

Abstract : Found no correlation between the carrying of hemolytic streptococci and the incidence of scarlet fever at children's institutions.

Submitted : July 24, 1953.

MAVERMAN, O. Ye

USSR/Medicine - Scarlet fever

FD-2303

Card 1/1

Pub 148 - 4/36

Author : Mauerman, O. Ye.; Irtlach, B. I.; Girshik, B. I.

Title : The serum prophylaxis of scarlet fever (Comm 5)

Periodical : Zhur. Mikro. epid. i immun. No 2, 17-23, Feb 1955

Abstract : List data on the prophylaxis of scarlet fever with gamma-globulin.
One reference, USSR, since 1940. Four tables.

Submitted : February 23, 1953.

MAVERMAN, O. Ye.

"APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R001033020003-9"

Mauerman, O. Ye.
"The prophylaxis of scarlatina in early and late contacts."
Min Health USSR. Central Inst for the Advanced Training
of Physicians. Moscow, 1956. (Dissertation for the degree
of Doctor in Medical Sciences)

Knizhnaya letopis
No. 15, 1956. Moscow

MAUERMAN, O.Ye.,; DMITRIYEVA-RAVIKOVICH, Ye.M.

Isolation and quarantine of the patients with scarlet fever.
Zhur. mikrobiol. epid. i immun. 27 no.2:62-63 F '56. (MIRA 9:5)

1. Iz Moskovskogo instituta epidemiologii, mikrobiologii i
gigieny.
(SCARLET FEVER)

BERZINA, I.A., kandidat meditsinskikh nauk; MAUKERMAN, O.Ye., kandidat
meditsinskikh nauk

Significance of penicillin and other factors in the etiology of
recurrent scarlet fever. *Pediatrics* 39 no.4:17-22 J1-Ag '56.

(MIRA 9:12)

1. Iz infektsionnogo otdela (zav. - prof. M.Ye.Sukhareva) kafedry
pediatrii TSIU (zav. - deystvitel'nyy chlen AMN SSSR prof. G.N.
Speranskiy) na base bol'nitsy imeni S.P.Botkina (zav. infektsionnym
otdelom A.N.Buzhnikov) i epidemiologicheskogo otdela (zav. - prof.
Ye.M.Dmitriyeva-Ravikovich) Moskovskogo instituta epidemiologii,
mikt. iologii i gigiyeny (nauchnyy rukovoditel' - prof. V.A.Chernokhvostov)
(SCARLET FEVER, ther.
penicillin, causing frequent recur.)
(PENICILLIN, ther. use
scarlet fever, causing frequent recur.)

MAUERMAN, O. YE.; YABLOKOVA, M. L.; KHRONETSKAYA, T. M.;
DIMITRIYEVA, YE. M.; RAVIKOVICH, KH. M.

"A decade of experience in using gamma-globulin for the prophylaxis
of children's infections (measles, scarlet fever, whooping cough)."

Report submitted at the 13th All-Union Congress of Hygienists,
Epidemiologists and Infectionists. 1959

BERZINA, L.A.; MAURMAN, O.Ye.; OKINSHEVICH, Ye.A.; SHUMOVA, B.I.

Influence of various factors on antitoxic immunity to scarlet fever as shown by the Dick test in children. Vop.okh.mat. i det. 4 no.3:36-41 My-Je '59. (MIRA 12:8)

1. Iz infektsionnogo otdela (zav. - prof.M.Ye.Sukhareva) kafedry pediatrii (zav. - deystvitel'nyy chlen AMN SSSR G.N.Speranskiy) TSentral'nogo instituta usovershenstvovaniya vrachey, epidemiologicheskogo otdela (zav. - prof.Ye.M.Dmitriyeva-Ravikovich) Moskovskogo nauchno-issledovatel'skogo instituta epidemiologii, mikrobiologii i gigiyeny i sanitarno-epidemiologicheskoy stantsii Kiyevskogo rayona Moskvyy (glavnyy vrach I.F.Krasavin). (SCARLET FEVER)

17(2,6)

SOV/16-59-9-43/47

AUTHOR:

Mauerman, O.Ye., Berzina, L.A. and Zismanova, F.A.

TITLE:

Epidemiological and Clinical Observations of Scarlet Fever Patients at Home

PERIODICAL:

Zhurnal mikrobiologii, epidemiologii i immunobiologii, 1959, Nr 9, pp 141-144 (USSR)

ABSTRACT:

In 1956 obligatory hospitalization of scarlet fever patients was repealed in the USSR and from this time patients were committed to hospital when clinical or epidemiological considerations indicated that it was advisable. The aim of subject work was to study what effect this trend might have had on the incidence of scarlet fever among the surrounding children in the family and apartment, and what was the course of the disease in the patients treated at home. It was found that the contraction of scarlet fever from patients who remained at home was 2 1/2 times more common among the patient's family than among the other families in the same apartment. The smaller the living area, the higher was the rate of contraction of the disease and the greater the chance of complications developing in the patient. When the

Card 1/3

SOV/16-59-9-43/47

Epidemiological and Clinical Observations of Scarlet Fever Patients at Home

patients were left at home, complications were 1 1/2 times rarer than with hospitalized patients, this mainly in patients suffering from chronic concomitant diseases. Antibiotic therapy of home patients was not effective enough in preventing complications. The general results suggest that most scarlet fever patients can safely be left at home for treatment. Further data on the home treatment of scarlet fever patients can be obtained by reference to I.T. Tishchenko, D.O. Primak, N.I. Lebedev and L.A. Popova.

There are 2 tables and 6 Soviet references.

Card 2/3

SOV/16-59-9-43/47

Epidemiological and Clinical Observations of Scarlet Fever Patients at Home

ASSOCIATION:

Moskovskiy institut epidemiologii, mikrobiologii i gigiyeny
(Institute of Epidemiology, Microbiology and Hygiene, Moscow);
Kafedra pediatrii Tsentral'nogo instituta usovershenstvovaniya
vrachey (Department of Pediatrics of the Central Institute Post-
graduate Medical Institute); Sanitarno-epidemiologicheskaya
stantsiya Leningradskogo rayona Moskvyy (Sanitary-epidemiological
Station of the Leningrad District of Moscow).

SUBMITTED:

January 7, 1959

Card 3/3

MAUERMAN, O.Ye.; OKINSHEVICH, Ye.A.; KHROMETSKAYA, T.M.; MAMAYEVA, Ye.A.

Application of specific gamma globulin in children's institutions
for the prevention of whooping cough. Trudy IEMG no.8:195-200 '61.
(MIRA 17:2)

MAUERMAN, O.Ye.; KUZNETSOVA, L.S.

Whooping cough morbidity and mortality in individual regions of the R.S.F.S.R. during a period of active immunization. Zhur. mikrobiol.; epid. i immun. 41 no.6:42-47 Je '64.

(MIRA 18:1)

1. Moskovskiy institut epidemiologii i mikrobiologii.

MAUERMAN, O.Ye.; DMITRIYEVA-RAVIKOVICH, Ye.M. [deceased]; DODONOVA, O.N.

Clinical epidemiological characteristics of scarlet fever; a review
of the literature. Zhur. mikrobiol., epid. i immun. 41 no.9:42-45 S
'64. (MIRA 18:4)

1. Moskovskiy institut epidemiologii i mikrobiologii Ministerstva
zdravookhraneniya RSFSR.

MAUEFMANN, Zdenek, inz.

Nomenclature in the field of limits and fits according to the recommendation of the International Organization for Standardization. Normalizace 11 no. 12: 383-384 D '63.

1. Automobilove zavody, n.p., Mlada Boleslav.

MAUERMANN, Zdenek, inz.

Role of enterprise standardization units, especially in
mechanical engineering enterprises. Normalizace 12
no. 4: 85-90 Ap '64.

Revision of Czechoslovak Standard 30 0160. Ibid.: 101.

1. Automobilov zavody National Enterprise, Mlada Boleslav.